



Pony Testing International Group

Report No.: H09133006916D~1

MSDS Report

Samples

Lithium-Ion Battery
(7S4P ICR18650 25.9V 228Wh/8.8Ah)

Client

AccuPower Forschungs- Entwicklungs-und Vertriebs-
GmbH.

Client Address

Pirchaeckerstrasse 27 8053 Graz, Austria



No.: H09133006916D
Code: nr3bk7ps



PONY 帕尼 测试
Pony Testing International Group

www.ponytest.com

Hotline 400-819-5688

Add: 北京市海淀区苏州街49-3
号盈智大厦

上海市徐汇区桂平路680号
35号楼4层

深圳市南山区创业路中兴
工业城6栋1层

Tel: (010) 82618116

(021) 64851999

(0755) 26050909

Add: 天津市南开区红旗路赢宾
大厦10层

宁波市高新区新晖路150号
二期4号楼4层

广州市海珠区敦和路189号
海珠科技园3号楼7层

Tel: (022) 27360730

(0574) 87736499

(020) 89224310

青岛市崂山区株洲路190
号6层

(0532) 88706866



Pony Testing International Group

Report No. : H09133006916D~1 Date: 10.15.2013 Page 1 of 11

Material Safety Data Sheet

According to ISO11014:2009

Section 1 - Chemical Product and Company Identification

Chemical product identification

Product name: Lithium-Ion Battery

Battery Type: 7S4P ICR18650 25.9V 228Wh/8.8Ah

Product Photo:



Authenticate the photo on original report only

Company identification

Manufacturer: AccuPower Forschungs- Entwicklungs-und Vertriebs- GmbH.

Address: Pirchaeckerstrasse 27 8053 Graz, Austria

Tel: 43-316-26291110

Fax: 43-316-26291136

Post code: 8053

Further Information obtainable from

Emergency telephone: 43-316-26291110

E-mail: info@accupower.at

Section 2 - Hazards Identification

No harm at the normal use. If contact the electrolyte in the battery, reference as follows:

Classification of the substance or mixture

Classification according to GHS

Acute toxicity, Oral (Category 4)



Pony Testing International Group

Acute toxicity, Dermal (Category 3)

Skin, irritate (Category 1B)

Eyes, irritate (Category 1)

Label elements**Labelling according to Regulation (EC) No 1272/2008[CLP]****Hazard pictogram(s):****Signal word:** Danger**Hazard statement(s):**

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage

H302: Harmful if swallowed.

Precautionary statement(s):

Prevention: P280: Wear protective gloves/protective clothing/eye protection / face protection.

Response: P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Disposal: P501: Dispose of contents/container in accordance with local/national regulations

Other hazards No information available.**Section 3 - Composition, Information on Ingredients****Chemical characterization: Mixture**

Chemical Composition	CAS No.	EC#	Weight (%)
Lithium Cobalt Oxide	12190-79-3	235-362-0	40
Graphite	7782-42-5	231-955-3	22
Copper	7440-50-8	231-159-6	9
Aluminum	7429-90-5	231-072-3	5



Pony Testing International Group

PP(Polypropylene)	9003-07-0	---	3
CMC	9000-11-7	---	3
Conductive Agent	---	---	2
PVDF Polyvinylidene Fluoride	24937-79-9	200-867-7	3
Thickener	---	---	3
Outer Shell (Copper Shell)	---	---	10

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Information for doctor:

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Section 5 - Fire Fighting Measures

Flammability: Not available.

Extinguishing media

Suitable extinguishing agents

Use extinguishing agent suitable for local conditions and the surrounding environment .



Pony Testing International Group

Such as dry powder , CO₂.

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Advice for firefighters

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions

Do not allow material to be released to the environment without proper governmental permits.

Steps to be taken in case material is spilled or released

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Waste disposal method

All waste must refer to the United Nations, the national and local regulations for disposal.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Handling

Precautions for safe handling

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.



Pony Testing International Group

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No further relevant information available.

Section 8 - Exposure Controls, Personal Protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

12190-79-3 Lithium Cobalt Oxide

TLV (USA)	0.02mg/m ³ .
MAK(Germany)	0.1mg/m ³ .

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Respiratory Protection

Use suitable respirator when high concentrations are present.

Personal Protection

Protection of hands

www.ponytest.com ☎ Hotline 400-819-5688

Add: 北京市海淀区苏州街49-3

号盈智大厦

35号楼4层

(010) 82618116

(021) 64851999

深圳市南山区创业路中兴

工业城6栋1层

(0755) 26050909

青岛市崂山区株洲路190

号6层

(0532) 88706866

宁波市高新区新晖路150号

二期4号楼4层

(0574) 87736499

广州市海珠区敦和路189号

海珠科技园3号楼7层

(020) 89224310



Pony Testing International Group

*Protective gloves***Eye protection***Tightly sealed goggles*

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

General information

Appearance:	Black.
Form:	quadrat.
Odour:	Odorless.
pH:	Not available.
Change in condition	
Melting point:	Not available.
Boiling point:	Not available.
Freezing point	Not available.
Flash point:	Not available.
Flammability:	Not available.
Ignition temperature:	Not available.
Decomposition temperature:	Not available.
Self-igniting:	Not available.
Danger of explosion:	Not available.
Explosion limits	
Lower:	Not available.
Upper:	Not available.
Oxidizing properties:	Not available.
Vapour pressure:	Not available.
Density:	Not available.
Relative density:	Not available.



Pony Testing International Group

Report No. : H09133006916D~1 Date: 10.15.2013 Page 7 of 11

Vapour density:	Not available.
Evaporation rate:	Not available.
Solubility in/Miscibility with water:	Not available.
n-octanol/water partition coefficient:	Not available.
Viscosity	Not available.
Dynamic:	Not available.
Kinematic:	Not available.
Other information:	
Voltage	25.9V
Electric capacity	8.8Ah
Electric energy	228Wh

Section 10 - Stability and Reactivity

Reactivity: Data not available.

Chemical stability: Stable.

Possibility of hazardous reactions: Data not available.

Conditions to Avoid

Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities

Oxidizing agents, acid, base.

Hazardous Combustible Products

Carbon monoxide, carbon dioxide, lithium oxide fumes.

Hazardous Polymerization

N/A.

Section 11 - Toxicological Information

Information on toxicological effects

Acute toxicity

LD/LC50 Values relevant for classification:

Not available.

Primary irritant effect

No further relevant information available.

Sensitization:

No further relevant information available.



Pony Testing International Group

Report No. : H09133006916D~1 Date: 10.15.2013 Page 8 of 11

Additional toxicological information:

Toxicological, metabolism and distribution:

No further relevant information available.

Acute effects (acute toxicity, irritation and corrosivity):

No further relevant information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):

No further relevant information available.

Section 12 - Ecological Information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behaviour in environmental systems

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Ecological effects

Additional ecological information

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Other adverse effects: No further relevant information available.

Section 13 - Disposal Considerations

Waste treatment methods

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information

www.ponytest.com ☎ Hotline 400-819-5688

Add: 北京市海淀区苏州街49-3
号盈智大厦
Tel: (010) 82618116

上海市徐汇区桂平路680号
35号楼4层
(021) 64861999

深圳市南山区创业路中兴
工业城6栋1层
(0755) 26050909

青岛市崂山区株洲路190
号6层
(0532) 88706866

Add: 天津市南开区红旗路瀛寰
大厦10层
Tel: (022) 27360730

宁波市高新区新晖路150号
二期4号楼4层
(0574) 87736499

广州市海珠区敦和路189号
海珠科技园3号楼7层
(020) 89224310



Pony Testing International Group

Report No. : H09133006916D~1 Date: 10.15.2013 Page 9 of 11

UN Number	
IATA	UN3480
IMDG	UN3480
Model Regulation	UN3480
UN Proper shipping name	
IATA	Lithium Ion Batteries
IMDG	Lithium Ion Batteries
Model Regulation	Lithium Ion Batteries
Transport hazard class(es)	
IATA	9
IMDG	9
Model Regulation	9
Packing group	
IATA	II
IMDG	II
Model Regulation	None
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.

Transport information: The Lithium-Ion Battery (7S4P ICR18650 25.9V 228Wh/8.8Ah) has passed the test UN38.3, according to the report ID: H09133006521D~1.

IATA Proper Shipping Name: Lithium Ion Batteries

Hazard Class: 9

UN No.: UN3480

Packaging group: II

Watt-hour exceeds the standard, so it belongs to dangerous goods. Be shipped by passenger and cargo aircraft. The goods are packaged according to the packing instruction 965 section IA of DGR 54th.

IMDG Proper Shipping Name: Lithium Ion Batteries

Hazard Class: 9

UN No.: UN3480

Packaging group: II

Watt-hour exceeds the standard, so it belongs to dangerous goods.

The goods are packaged according to the special provision 188 of IMDG.



Pony Testing International Group

Report No. : H09133006916D~1 Date: 10.15.2013 Page 10 of 11

Land Proper Shipping Name: Lithium Ion Batteries

Hazard Class: 9

UN No.: UN3480

Watt-hour exceeds the standard, so it belongs to dangerous goods.

The goods are packaged according to the «Recommendations on the Transport of Dangerous Goods Model Regulations» (17th).

More information concerning shipping, testing, marking and packaging can be obtained from Label master at <http://www.labelmaster.com>.

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

Transport Fashion: By air, by sea, by railway, by road.

Section 15 - Regulatory Information

This Material Safety Data Sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture

Composition	CAS#	TSCA	EC#	EINECS
Lithium Cobalt Oxide	12190-79-3	Listed	235-362-0	Listed
Graphite	7782-42-5	Listed	231-955-3	Listed
Copper	7440-50-8	Listed	231-159-6	Listed
Aluminum	7429-90-5	Listed	231-072-3	Listed
PP(Polypropylene)	9003-07-0	Listed	/	Not Listed
CMC	9000-11-7	Listed	/	Not Listed
PVDF Polyvinylidene Fluoride	24937-79-9	Listed	200-867-7	Listed



Pony Testing International Group

Report No. : H09133006916D~1 Date: 10.15.2013 Page 11 of 11

Section 16 - Additional Information

Abbreviations and acronyms

CLP:	EU regulation (EC) No 1272/2008 on classification, labelling and packaging of chemical substances and mixtures.
CAS:	Chemical Abstracts Service (Division of the American Chemical Society).
ACGIH:	American Conference of Governmental Industrial Hygienists
TLV:	Threshold Limit Value
IATA:	International Air Transport Association
IMDG:	International Maritime Dangerous Goods
LC50:	lethal concentration, 50 percent kill
LD50:	lethal dose, 50 percent kill
TWA	Time Weighted Average
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory
EINECS	European Inventory of Existing Commercial Chemical Substances
Model	Recommendations on the Transport of Dangerous Goods Model
Regulation	Regulations

Declare to reader

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Prepared by: *Liu Xiaohui* Checked by: *Yang Jinghua* Approved by: *Jiye*

SDS Creation Date: October 15, 2013

End of report