



扫微信二维码  
关注谱尼测试



Pony Testing International Group

报告编号(Report ID): MMIOSHBW66018711



海运 By Sea

## 货物运输条件鉴定书

### Certification for Safe Transport of Goods

# 危险品 Dangerous Goods

样品名称及型号  
(Sample Description  
& Model)

锂离子电池 型号: 7S4P AP2511-LEDi  
Lithium-Ion Battery Model: 7S4P AP2511-LEDi  
25.6V 11.4Ah 292Wh

委托单位  
(Applicant)

AccuPower Forschungs- Entwicklungs- und Vertriebs- GmbH

生产单位  
(Manufacturer)

AccuPower Forschungs- Entwicklungs- und Vertriebs- GmbH

PONY 谱尼测试  
Pony Testing International Group  
www.ponytest.com



微信扫一扫，使用小程序 小程序扫一扫，在线验证

No.: MMIOSHBW66018711  
Code: x2683j14

## 声明 Statement

1. 本报告仅对委托方所送样品负责。  
The report is responsible for the provided sample only.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。  
The pattern and characters of "PONY" and "谱尼" used in this report are protected by the trademark law of the People's Republic of China. Any unauthorized usage, counterfeit, forgery and alteration of trademarks of "PONY" and "谱尼" are the violations of the law. The PONY has the right to pursue all legal liabilities of the subject of the delict.
3. 委托方必须如实提供样品及资料，并保证申报品名和样品以及运输货物相同，否则本单位不承担任何相关责任。  
The applicant shall provide accurately and truly the sample and the description of the sample, shall guarantee the declared sample's name to match with the sample and transport of goods. Otherwise PONY will not bear any relevant responsibility.
4. 本报告经审核人、批准人签字并加盖印章后生效。  
This report shall become effective as soon as it reviewed by the checker and signed by the approver and stamped.
5. 委托方对报告数据如有异议，请于报告完成之日起十五日内向本单位书面提出复测申请，同时附上报告原件并预付复测费。  
If the applicant has any objection about the results of the report, shall provide a written re-test application and simutenously attach the original report and pay the retest fees in advance within fifteen days since the approval date of the report.
6. 不可重复性或不能进行复测的实验，不进行复测，委托方放弃异议权利。  
Tests that can not be repeated and tested shall not be perform the retest, the applicant shall abandon the right of any objection.
7. 本报告全部或部分复制、私自转让、盗用、冒用、涂改或以其它任何形式篡改的均属无效，本单位将对上述行为追究其相应的法律责任。  
The report can not be copied in whole or part, the copied version is invalid. The certificate is invalid in case of illegal transfer, reproduction, embezzlement, imposture, modification or any altering. PONY shall investigate the applicant's legal liability accordingly.
8. 本报告不考虑国家及经营人差异。  
The certificate/report takes no account of the differences of countries and applicants.
9. 本报告中的运输方式应与货物的运输方式相一致，不同的运输方式，结果可能会有差异。  
The transport means of goods should be as the same as that declared in the report, as in case of different transport means of goods the results may be different.

### ▲ 防伪说明:

- (1) 报告编号是唯一的;
- (2) 报告采用特制防伪纸张印制，纸张表面带有“PONY”防伪纹路，该防伪纹路不支持复印，即复制件不会带有“PONY”防伪纹路;
- (3) 报告采用的防伪纸张内部亦加带有高科技“PONY”防伪水印，只有在验钞机等紫外线照射下方可显出无色荧光防伪字样;
- (4) 报告所盖防伪骑缝章中的一部分加盖于本单位的留底报告上，报告与本单位留底报告的骑缝章应拼合完整无缺。



扫微信二维码  
关注谱尼测试

www.ponytest.com

Hotline 400-819-5688

北京实验室: (010)82618116  
上海实验室: (021)64851999  
青岛实验室: (0532)88706866  
深圳实验室: (0755)26050909  
天津实验室: (022)27360730  
苏州实验室: (0512)62997900

长春实验室: (0431)85150908  
大连实验室: (0411)87336618  
哈尔滨实验室: (0451)88104651  
郑州实验室: (0371)69350670  
新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660  
西安实验室: (029)89608785  
呼和浩特实验室: (0471)3450025  
杭州实验室: (0571)87219096  
宁波实验室: (0574)87736499

武汉实验室: (027)83997127  
合肥实验室: (0551)63843474  
广州实验室: (020)89224310  
厦门实验室: (0592)5568048  
成都实验室: (028)87702708



Pony Testing International Group

Report ID: MMIOSHBW66018711 Page 1 of 4

## 货物运输条件鉴定书


## Certification for Safe Transport of Goods

样品名称 Sample Description	锂离子电池 型号: 7S4P AP2511-LEDi 25.6V 11.4Ah 292Wh		
	Lithium-Ion Battery Model: 7S4P AP2511-LEDi 25.6V 11.4Ah 292Wh		
委托单位 Applicant	AccuPower Forschungs- Entwicklungs- und Vertriebs- GmbH		
	AccuPower Forschungs- Entwicklungs- und Vertriebs- GmbH		
生产单位 Manufacturer	AccuPower Forschungs- Entwicklungs- und Vertriebs- GmbH		
	AccuPower Forschungs- Entwicklungs- und Vertriebs- GmbH		
检验方法、程序 Inspection method and procedure	国际海事组织《国际海运危险货物规则》(2016版)(Amendment 38-16) IMO International Maritime Dangerous Goods Code (2016 Edition) (Amendment 38-16)		
样品信息 Sample information	电池种类/Battery type	锂离子电池 Lithium ion battery	
	型号规格/Model	7S4P AP2511-LEDi 25.6V 11.4Ah 292Wh	
	外观/Appearance	黑色/Black 169.0mm×98.6mm×78.9mm	
	商标/Trade mark	ACCUPOWER	
包装件信息 Package information	尺寸/Size	300mm(L)×150mm(W)×180mm(H)	
	净重/Net mass	1.68kg	
	电池个数/Battery number	1pcs	
	放置方式/Placement	只有电池/Battery only	
鉴定结果 Identification conclusion	1.危险性识别(Hazard identification) 杂项。Miscellaneous.		
	2.按照国际海事组织《国际海运危险货物规则》办理类项(Suggestion according to IMO IMDG Code) Shipping name: LITHIUM ION BATTERIES Class or division: 9 UN Number: UN3480		
	3.包装要求(Packaging requirements)		
		Special provisions	Packing instruction
		230, 348, 384	P903
检验日期 Inspection date	2018年5月24日	签发日期 Issue Date	2018年5月28日
备注 Comment	本报告有效期至2019年12月31日。 The report is valid until December 31, 2019.		

 主检人 :   
 (Appraiser)

 审核人 :   
 (Checker)

 批准人 :   
 (Approver)





## 货物运输条件鉴定书

## Certification for Safe Transport of Goods

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>客户声明 Consignor announcement:</p> <p>a. 本报告所述锂电池无明显安全缺陷, 不属于因安全原因召回的锂电池。 Lithium cells and batteries listed in this report have no significant defect, and they are not the defective cells and batteries returned to the manufacturer for safety reasons.</p> <p>b. 本报告所述锂电池不进行以回收或处置为目的的海上运输, 不属于废弃锂电池。 Lithium cells and batteries listed in this report are not waste lithium cells and batteries, and they will not be shipped for recycling or disposal from sea transport.</p> <p>c. 本报告所述锂电池按照《国际海运危险货物规则》2.9.4.5 规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG Code 2.9.4.5.</p> <p>d. 电池需有安全排气装置或设计能防止在运输条件下突然破裂, 并装有防止外部短路的有效装置。 Lithium cell or battery must incorporate a safety venting device or be designed to preclude a violent rupture under conditions normally incident to transport and be equipped with an effective means of preventing external short circuits.</p> <p>e. 包含并联的多个电池芯或电池芯系列的锂电池必须装有防止危险的反向电流所需的有效装置 (例如二极管、保险丝等)。 Lithium battery containing cells or series of cells connected in parallel must be equipped with an effective means, as necessary, to prevent dangerous reverse current flow (e.g. diodes, fuses).</p>
2	<p>a. 本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求。(报告编号: MMIZLRFW66016521) Lithium cells and batteries listed in this report are of the types proven to meet the requirement of each applicable test in the UN Manual of Tests and Criteria, Part III sub-section 38.3. (Report No.: MMIZLRFW66016521)</p>

本页以下空白 (The page below is blank)



## 货物运输条件鉴定书

## Certification for Safe Transport of Goods

序号 No.	检验结果及其他事项 Inspection results and other things
3	a. 锂电池芯和电池必须放入能将电池芯或电池完全封装的内包装内, 然后再放入外包装。 Lithium cells and batteries must be placed in inner packagings that completely enclose the cell or battery then placed in an outer packaging. b. 电池芯或电池的完成包装件必须满足 II 级包装的性能要求, 并符合 IMDG Code 4.1.1 和 4.1.3 的一般规定。 The completed package for the cells or batteries must meet the Packing Group II performance standard, and must meet the general provisions of IMDG Code 4.1.1 and 4.1.3.
4	a. 电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	a. 每个包装件必须粘贴第 9 类锂电池危险性标签 (见 5.2.2.2.2, No.9A)。每个包装件必须符合 IMDG Code 5.1.1 一般规定。 Each package must be labelled with the class 9-lithium battery hazard label (see 5.2.2.2.2, No.9A) . Each package must meet the general provisions of IMDG Code 5.1.1.

本页以下空白 (The page below is blank)




样品图片 (Photo of the Sample):

电池 Battery



包装件 Package



仅对原报告照片中的样品负责

Authenticate the photo on original report only

\*\*\*报告结束 End of report \*\*\*

